

T450 Highlight display



The T450 is ideal for such industries as urban management, logistics, railway, real estate, security.



Enjoyable Smooth Communication Boundless PTT Service under Six-mode 4G Networks

Operate under 2G/3G/4G and Wi-Fi networks to achieve communication across a wide area. Various call types such as individual call, group call, all call and broadcast call. Two programmable side keys to cater to different user preferences.



Smart Patrol

Built-in Bluetooth, GPS and NFC modules bring more possibilities of extended applications, e.g. working with Kirisun patrol system to achieve public network based smart patrol, and high-precision GPS/A-GPS positioning.



IP66 Ingress Protection

IP66 ingress protection meets the requirements of dust in factories and mines or outdoor duty on rainy days.



High-Capacity Battery

3400mAh high-voltage battery for long runtime.




Delicate and Anti-Skid

Light weight of 200g only. Ergonomic anti-skid upper edges for comfortable grip.



iPTT PoC Solution

Achieve PTT and dispatch services through one-stop PoC solution including PoC two-way radios, apps, PoC dispatcher and PoC management platform.



Functions

Voice Dispatch:

Individual call, group call, all call, emergency call, call priority and voice recording.

Group-based Functions:

Temporary group, quick group, group monitoring and group switching.

Map-based Dispatch:

Positioning monitoring, track playback, geo-fencing, area selection and alarm indication.

Patrol:

Statistics report, patrol checkpoint (Bluetooth/GPS/NFC), patrol route and patrol plan.

Security:

Stun, Kill, Revive, Lone Worker, emergency alarm, log, authentication and encryption.

Others:

Short message and record, network connection state, terminal monitoring, remaining battery capacity, RSSI and network type.

Specification

General specifications	
Network	Asia & Europe: TDD-LTE: Band 38/40/41 FDD-LTE: Band 1/3/5/7/8/20 WCDMA: Band 1/2/5/8 GSM/GPRS: Band 2/3/5/8 America: FDD-LTE: Band 1/2/4/5/7/12/13/17/28a/28b WCDMA: Band 1/2/4/5 GSM/GPRS: Band 2/5
RAM+ROM	512MB+4GB
Operating System	Android 7.0
Battery	3.8V 3400mAh
Wi-Fi	2.4/5GHz
Bluetooth	4.0 BLE
Positioning	GPS/AGPS
NFC	Supported
Dimension	II3mm×60mm×29mm
Weight	≤200g
Display	0.96" color display
Operating Temperature	-20°C + 50°C
Storage Temperature	-40°C + 75°C
Protection Levels	IP66

System Solutions

Converged voice communication system:

PTT service with private two-way radios (e.g. DMR, PDT, analog, conventional and trunking radios) via audio gateway.

Wi-Fi RolP system:

PTT and dispatch services over Wi-Fi network.

Converged Dispatching System:

Converged audio-video communication of BWCs, PoC two-way radios, private two-way radios.

Patrol System:

Bluetooth/GPS/NFC patrol through the uniPTT PoC system and the patrol module of the converged dispatching system.

Accessories

















Application





















California Preparedness Resouce www.CalPrepResource.org (951) 236-8975 Bob@CalPrepResource.org